

TYRE CATALOGUE 2023

TRUCK & BUS



TECHSHIELD

QingDao Tyreland International Trade Co., Ltd

A-2403, Darron Center, No.180, Haier Road, QingDao, China

- Sales Manager: **Jerry Zhang**
- Tel: +86 17852025163 (Wechat & What's App)
- E-mail: jerry@tyreland.com




"VIGOROUS" Series




CARRYING LOAD

Tyre Mileage Index in %




STOP AND ACCELERATION OPERATION

Tyre Mileage Index in %




SEASONAL / AMBIENT TEMPERATURES

Tyre Mileage Index in %



TRAILER AXLES

Tyre Mileage Index in %



VIGOROUS TS600

- 🕒 Mixed highway and freeway for long distance service.
- 🔑 Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R22.5	18	149/146	L	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL





TA 800

- 🕒 Mixed highway and freeway for long distance service.
- 🔑 Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
7.00R16LT	14	118/114	L	TT
7.50R16LT	14	122/118	L	TT
8.25R16LT	16	128/124	L	TT
8.25R20LT	16	139/137	K	TT
900R20	16	144/142	K	TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	18	154/151	L	TT
1200R20	20	156/153	K	TT
1200R24	20	160/157	K	TT
12R22.5	18	152/148	M	TL
13R22.5	18	156/150	K	TL
13R22.5	20	156/153	L	TL
295/80R22.5	18	152/149	L	TL





VIGOROUS TA800

-  Applied for highway, urban and country road.
-  Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R22.5	18	149/146	L	TL
11R24.5	16	149/146	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL






TA 803

-  High power mixed; Quasi-sovereign tread; Integrative shoulder pattern.
-  Special tread compound perform well in hot weather.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT





VIGOROUS TA805

-  All terrain tyres suitable for all position fitment.
-  Super level of traction.
-  Resistant to cuts and stone retention.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT





TA 806

-  High power mixed; Quasi-sovereign tread; Integrative shoulder pattern.
-  Superior anti-irregular wearing performance, excellent stability in running, low noise, superior lateral spreads slippery resistance, well heat dispersion.

SIZE	PLY	LI	SI	TL/TT
1200R24	20	160/157	K	TT
315/80R22.5	20	156/153	L	TL






VIGOROUS TS709

-  Mixed highway and freeway for long distance service.
-  Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL





TS 605

-  Exceptional mileage and resistance to irregular wear.
-  Excellent high speed stability and durability.
-  Excellent resistance to rib-tearing.

SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL






VIGOROUS TS799

-  Mixed highway and freeway.
-  Special tread compound offers cut resistance, super grip on wet road.

SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	M	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL





TM 900

-  Fuel efficient with lower rolling resistance.
-  Excellent traction and wet weather handling.
-  Wider tread enhanced tyre life.

SIZE	PLY	LI	SI	TL/TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT





TS 607

-  Unique tread design for minimized gasoline consumption.
-  Horizontal rid design offers the top guiding and stability at high speed service.

SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL




VIGOROUS TS601

-  Mixed highway and freeway.
-  Special tread compound offers cut resistance,super grip on wet road.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL





VIGOROUS TA801

-  Superior anti-irregular wearing performance,excellent stability in running,lownoise, superior lateral spreads slippery resistance,well heat dispersion.

SIZE	PLY	LI	SI	TL/TT
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL





VIGOROUS TS602

-  Applied for highway,urban and country road.
-  Three rib pattern,extra sideslip resistance,delivers superior stability and drainage of driving.

SIZE	PLY	LI	SI	TL/TT
7.50R16LT	14	122/118	L	TT
7.50R16LT	16	125/121	L	TT





TS 609+

-  Applied for highway, urban and country road.
-  Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL





TS 788

-  Mixed highway and freeway for long distance service.
-  Special tread compound offers excellent performance of lower heat build-up.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL





TS 609

-  Wide base single tire for highway transportation.
-  Super steel belt carcass construction enhances casing strength and maximizes tire load capacity.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	K	TL





TS 610

-  Four vertical and Polygonal groove lines enables perfect maneuverability.
-  Special shoulder improve tire shoulder durability.

SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	K	TL




VIGOROUS TD712


-  Resistance to irregular wear.
-  Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.

SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	L	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL



TA 807


 Resistance to irregular wear.


 Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.

SIZE	PLY	LI	SI	TL/TT
8.25R16LT	16	128/124	L	TT
8.25R20LT	16	128/124	L	TT
900R20	16	144/142	K	TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT



VIGOROUS TD700


 Unique tie-bar pattern design offers superior resistance to irregular wear and block tearing.

 High mileage and speed with lower heat build up.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL




VIGOROUS TD701

 Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL




TD 703

 Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

SIZE	PLY	LI	SI	TL/TT
1000R20	18	149/146	L	TT
1100R20	18	152/149	L	TT
1200R20	20	156/153	K	TT
12R22.5	18	152/148	M	TL




TD 705


 Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL



VIGOROUS TD708



 All terrain tyres suitable for all position fitment.

 Resistant to cuts and stone retention.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL





VIGOROUS TM717

-  Resistance to irregular wear.
-  Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.

SIZE	PLY	LI	SI	TL/TT
215/75R17.5	16	127/124	L	TL
235/75R17.5	16	132/130	L	TL
235/75R17.5	18	143/141	L	TL





TD 706

-  Stone ejector in the tread prevents stone retention which can lead to casing damage.
-  New tread design giving excellent traction.

SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL
315/80R22.5	20	156/153	L	TL





VIGOROUS TD702

-  Stone ejectors in the tread prevents stone retention which can lead to casing damage.
-  New tread design giving excellent traction.

SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	M	TL
11R24.5	16	149/146	M	TL
295/75R22.5	16	146/143	M	TL






TM 909

-  Resistant to cuts and stone retention.
-  New tread design giving excellent traction and cut resistance.

SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	L	TL



TM 910

-  Super level of traction.
-  Resistant to cuts and stone retention.
-  New tread design giving excellent traction and cut resistance.

SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/149	L	TL





TECHSHIELD

GUARD YOUR DRIVING SAFETY